KST™

Future Connection

Non-Insulated Terminals




QC 080000 IECQ HSPM

IECQ Certificate No.
IECQ-H SGSTW 10.0003

신광무역(新光貿易)
SHINKWANG TRADE CO.
서울특별시 강남구 삼성동 159-1
한국종합무역센타 30층 3001호
TEL : 02-551-3026 / FAX : 02-551-3100, 3200
H.P : 010-3366-5847
http://shinkwangtrade.com
E-MAIL : sinkwang2000@naver.com

TERMINALS

RING TERMINALS
圓盤端子



mm²	ITEM NO.	d2	W
1.25	RNB 1-2	2.2	5.5
	RNB 1-2.5	2.4	5.5
	RNB 1-3.2	3.2	5.5
	RNBS 1-3.7	3.7	5.5
	RNBM 1-3.7	3.7	6.6
	RNBL 1-3.7	3.7	8.0
	RNBS 1-4	4.3	6.6
	RNBL 1-4	4.3	8.0
	RNB 1-5	5.3	8.0
	RNBL 1-5	5.3	11.6
	RNB 1-6	6.4	11.6
	RNB 1-7	7.4	11.6
	RNB 1-8	8.4	11.6
	RNB 1-10	10.5	13.6
	RNBL 1-10	10.5	19.2
	RNB 1-12	13.0	19.2
	RNB 1-13	14.0	19.2
	RNB 1-14	15.0	27.0
	RNB 1-16	17.0	27.0
	RNB 1-20	21.0	27.0
2	RNB 2-2	2.2	6.6
	RNB 2-2.5	2.5	6.6
	RNBS 2-3.2	3.2	5.5
	RNB 2-3.2	3.2	6.6
	RNBL 2-3.2	3.2	8.5
	RNBS 2-3.7	3.7	6.6
	RNBM 2-3.7	3.7	6.6
	RNBL 2-3.7	3.7	8.5
	RNBS 2-4	4.3	6.6
	RNBL 2-4	4.3	8.5
	RNBS 2-5	5.3	8.5
	RNBL 2-5	5.3	9.5
	RNB 2-6	6.4	12.0
	RNB 2-7	7.4	12.0
	RNB 2-8	8.4	12.0
	RNB 2-9	9.8	13.6
	RNB 2-10	10.5	13.6
	RNBL 2-10	10.5	19.2
	RNB 2-12	13.0	19.2
	RNB 2-14	15.0	27.0
	RNB 2-16	17.0	27.0
	RNB 2-20	21.0	27.0
3.5	RNBS 3-3.2	3.2	5.5
	RNB 3-3.2	3.2	8.0
	RNBS 3-4	4.3	7.2
	RNB 3-4	4.3	8.0
	RNBS 3-5	5.3	8.0
	RNBM 3-5	5.3	9.5
	RNBL 3-5	5.3	12.0
	RNB 3-6	6.4	12.0
	RNB 3-8	8.4	15.0
	RNB 3-10	10.5	15.0
	RNB 3-12	13.0	19.2

mm²	ITEM NO.	d2	W
5.5	RNB 5-3.2	3.2	7.2
	RNB 5-3.7	3.7	7.2
	RNBL 5-3.7	3.7	9.5
	RNBS 5-4	4.3	7.2
	RNBL 5-4	4.3	9.5
	RNB 5-5	5.3	9.5
	RNBL 5-5	5.3	12.4
	RNB 5-6	6.4	12.0
	RNBM 5-6	6.4	12.0
	RNB 5-7	7.4	12.0
	RNBS 5-8	8.4	15.0
	RNB 5-8	8.4	15.0
	RNBS 5-10	10.5	15.0
	RNB 5-10	10.5	15.0
	RNB 5-11	11.5	19.2
	RNB 5-12	13.0	19.2
	RNB 5-13	14.0	19.2
	RNB 5-14	15.0	32.0
	RNB 5-16	17.0	32.0
	RNB 5-18	19.0	32.0
	RNB 5-20	21.0	32.0
8	RNB 8-3.7	3.7	8.0
	RNBS 8-4	4.3	8.0
	RNBL 8-4	4.3	12.0
	RNBS 8-5	5.3	8.8
	RNBM 8-5	5.3	12.0
	RNBL 8-5	5.3	15.0
	RNBS 8-6	6.4	12.0
	RNBL 8-6	6.4	15.0
	RNB 8-8	8.4	15.0
	RNB 8-10	10.5	15.0
	RNB 8-11	11.5	20.0
	RNB 8-12	13.0	20.0
	RNB 8-14	15.0	31.6
	RNB 8-16	17.0	31.6
	RNB 8-18	19.0	31.6
	RNB 8-20	21.0	31.6
	RNB 8-22	23.0	31.6
14	RNB 14-4	4.3	12.0
	RNBS 14-5	5.3	9.5
	RNB 14-5	5.3	12.0
	RNBSS14-6	6.4	9.5
	RNBS 14-6	6.4	12.0
	RNBL 14-6	6.4	16.0
	RNB 14-8	8.4	16.0
	RNB 14-10	10.5	16.0
	RNB 14-11	11.5	22.0
	RNB 14-12	13.0	22.0
	RNB 14-14	15.0	31.6
	RNB 14-16	17.0	31.6
	RNB 14-18	19.0	31.6
	RNB 14-20	21.0	31.6
22	RNBS 22-4	4.3	12.0
	RNB 22-4	5.3	9.5
	RNBS 22-5	5.3	12.0
	RNBSS22-6	6.4	9.5
	RNBS 22-6	6.4	12.0
	RNBL 22-6	6.4	16.0
	RNB 22-8	8.4	16.0
	RNB 22-10	10.5	16.0
	RNB 22-11	11.5	22.0
	RNB 22-12	13.0	22.0
	RNB 22-14	15.0	31.6
	RNB 22-16	17.0	31.6
	RNB 22-18	19.0	31.6
	RNB 22-20	21.0	31.6


mm²	ITEM NO.	d2	W
38	RNB 38-5	5.3	15.3
	RNBS 38-6	6.4	15.3
	RNBL 38-6	6.4	22.0
	RNBS 38-8	8.4	15.3
	RNBL 38-8	8.4	22.0
	RNBS 38-10	10.5	22.0
	RNBL 38-10	10.5	22.0
	RNB 38-11	11.5	22.0
	RNB 38-12	13.0	22.0
	RNB 38-13	14.0	22.0
	RNB 38-14	15.0	30.0
	RNB 38-16	17.0	30.0
	RNB 38-18	19.0	30.0
	RNB 38-20	21.0	30.0
	RNB 38-22	23.0	30.0
	RNB 38-24	25.0	30.0
60	RNB 60-6	6.4	22.0
	RNB 60-8	8.4	22.0
	RNB 60-10	10.5	22.0
	RNBL 60-10	10.5	22.0
	RNB 60-11	11.5	22.0
	RNB 60-12	13.0	22.0
	RNB 60-13	14.0	22.0
	RNB 60-14	15.0	32.0
	RNB 60-16	17.0	32.0
	RNB 60-18	19.0	32.0
	RNB 60-20	21.0	32.0
	RNB 60-22	23.0	32.0
70	RNB 70-6	6.4	24.0
	RNB 70-8	8.4	24.0
	RNB 70-10	10.5	24.0
	RNB 70-11	11.5	24.0
	RNB 70-12	13.0	24.0
	RNB 70-13	14.0	24.0
	RNB 70-14	15.0	32.0
	RNB 70-16	17.0	32.0
	RNB 70-18	19.0	32.0
	RNB 70-20	21.0	32.0
	RNB 70-22	23.0	32.0
80	RNB 80-6	6.4	27.0
	RNB 80-8	8.4	27.0
	RNB 80-10	10.5	27.0
	RNBL 80-10	10.5	32.0
	RNB 80-11	11.5	27.0
	RNB 80-12	13.0	27.0
	RNBL 80-12	13.0	32.0
	RNB 80-13	14.0	27.0
	RNB 80-14	15.0	32.0
	RNB 80-16	17.0	32.0
	RNB 80-18	19.0	32.0
	RNB 80-20	21.0	32.0
	RNB 80-22	23.0	32.0
100	RNB 100-6	6.4	28.5
	RNB 100-8	8.4	28.5
	RNB 100-10	10.5	28.5
	RNBL 100-10	10.5	32.0
	RNB 100-11	11.5	28.5
	RNB 100-12	13.0	28.5
	RNBL 100-12	13.0	32.0
	RNB 100-14	15.0	32.0
	RNB 100-16	17.0	32.0
	RNB 100-18	19.0	32.0
	RNB 100-20	21.0	32.0
	RNB 100-22	23.0	32.0

mm²	ITEM NO.	d2	W
125	RNB 125-10	10.5	21.8
	RNB 125-12	13.0	21.8
150	RNB 150-8	8.4	36.0
	RNBL 150-8	8.4	36.0
	RNB 150-10	10.5	36.0
	RNBL 150-10	10.5	36.0
	RNB 150-11	11.5	36.0
	RNB 150-12	13.0	36.0
	RNBL 150-12	13.0	36.0
	RNB 150-14	17.0	36.0
	RNB 150-16	17.0	36.0
180	RNB 180-6	6.4	38.5
	RNB 180-8	8.4	38.5
	RNB 180-10	10.5	38.5
	RNB 180-11	11.5	38.5
	RNB 180-12	13.0	38.5
	RNBL 180-12	13.0	38.5
	RNB 180-14	15.0	38.5
	RNB 180-16	17.0	38.5
	RNB 180-18	19.0	38.5
	RNB 180-20	21.0	38.5
	RNB 180-22	23.0	38.5
	RNB 180-24	25.0	38.5
	RNB 180-27	28.0	38.5
200	RNB 200-8	8.4	44.0
	RNBL 200-8	8.4	44.0
	RNB 200-10	10.5	44.0
	RNB 200-11	11.5	44.0
	RNB 200-12	13.0	44.0
	RNBL 200-12	13.0	44.0
	RNB 200-14	15.0	44.0
	RNB 200-16	17.0	44.0
	RNBL 200-16	17.0	44.0
	RNB 200-18	19.0	44.0
	RNB 200-20	21.0	44.0
	RNB 200-22	23.0	44.0
	RNB 200-24	25.0	44.0
	RNB 200-27	28.0	44.0
250	RNB 250-10	10.5	44.0
	RNB 250-12	13.0	44.0
	RNB 250-16	17.0	44.0
325	RNB 325-8	8.4	50.5
	RNB 325-10	10.5	50.5
	RNB 325-11	11.5	50.5
	RNB 325-12	13.0	50.5
	RNBL 325-12	13.0	50.5
	RNB 325-14	15.0	50.5
	RNB 325-16	17.0	50.5
	RNBL 325-16	17.0	50.5
	RNB 325-18	19.0	50.5
	RNB 325-20	21.0	50.5
	RNB 325-22	23.0	50.5
	RNB 325-24	25.0	50.5
	RNB 325-27	28.0	50.5

WIRE SIZE :

mm²	A.W.G.	mm²	A.W.G.
1.25	22-16	60	1/0
2	16-14	70	2/0
3.5	14-12	80	3/0
5.5	12-10	100	4/0
8	8	150	250/300 MCM
14	6	180	300/350 MCM
22	4	200	400/500 MCM
38	2	325	500/600 MCM


STUD SIZE:



M3	M3.5	M4	M5	M6	M8	M10	M12	M16	M22	M24
#4	#6	#8	#10	1/4"	5/16"	3/8"	1/2"	5/8"	7/8"	15/16"


TERMINALS

SQUARE TONGUE TERMINALS
方型端子



mm²	ITEM NO.	d2	W
22	**SQNBS22-5**	5.3	12.5
	SQNBS22-6	6.4	12.5
	SQNBS22-8	8.4	12.5
38	**SQNBS38-5**	5.3	13.2
	SQNBS38-6	6.4	13.2
	SQNBS38-8	8.4	13.2
60	**SQNBS60-6**	6.4	16.0
	SQNBS60-8	8.4	16.0
	SQNBS60-10	10.5	16.0
80	**SQNBS80-6**	6.4	21.8
	SQNBS80-8	8.4	21.8
	SQNBS80-10	10.5	21.8
	SQNBS80-12	13.0	21.8
100	**SQNBS100-8**	8.4	21.8
	SQNBS100-10	10.5	21.8
	SQNBS100-12	13.0	21.8
125	**SQNBS125-8**	8.4	21.8
	SQNBS125-10	10.5	21.8
	SQNBS125-12	13.0	21.8
150	**SQNBS150-8**	8.4	22.0
	SQNBS150-10	10.5	22.0
	SQNBS150-12	13.0	22.0
180	**SQNBS180-10**	10.5	30.0
	SQNBS180-12	13.0	30.0
200	**SQNBS200-10**	10.5	36.0
	SQNBS200-12	13.0	36.0
	SQNBS200-16	13.0	36.0
250	**SQNBS250-10**	10.5	36.0
	SQNBS250-12	13.0	36.0
325	**SQNBS325-12**	13.0	37.2
	SQNBS325-16	17.0	37.2
	SQNBS325-18	19.0	37.2


HEAVY DUTY (HD SERIES) RING TERMINALS
圓盤(重負載)端子



T: 1.3 mm²


mm²	ITEM NO.	d2	W
2	**RNB 2-3.2-HD**	3.2	7.2
	RNB 2-3.7-HD	3.7	7.2
	RNBS 2-4-HD	4.3	7.2
	RNBL 2-4-HD	4.3	9.5
	RNB 2-5-HD	5.3	9.5
	RNB 2-6-HD	6.4	12.0
	RNBM 2-6-HD	6.4	12.0
	RNB 2-8-HD	8.4	15.0
	RNB 2-10-HD	10.5	15.0
	RNB 2-12-HD	13.0	19.2
	RNB 2-14-HD	15.0	32.0
	RNB 2-16-HD	17.0	32.0
	RNB 2-18-HD	19.0	32.0
	RNB 2-20-HD	21.0	32.0

NON-INSULATED SPADE TERMINALS
Y型端子




mm²	ITEM NO.	d2	W
1.25	**SNB 1-3.2**	3.2	5.7
	SNBS 1-3.7	3.7	5.7
	SNBL 1-3.7	3.7	6.4
	SNBLL 1-3.7	3.7	7.2
	SNBS 1-4	4.3	6.4
	SNBM 1-4	4.3	7.2
	SNBL 1-4	4.3	8.1
	SNBS 1-5	5.3	8.1
	SNBL 1-5	5.3	9.5
	SNBS 1-6	6.4	9.5
	SNBL 1-6	6.4	12.0
2	**SNB 2-3.2**	3.2	5.7
	SNBS 2-3.7	3.7	5.7
	SNBL 2-3.7	3.7	6.0
	SNBLL 2-3.7	3.7	7.2
	SNBS 2-4	4.3	6.4
	SNBM 2-4	4.3	7.2
	SNBL 2-4	4.3	8.1
	SNBS 2-5	5.3	8.1
	SNBL 2-5	5.3	9.3
	SNBS 2-6	6.4	9.3
	SNBL 2-6	6.4	12.0
3.5	**SNB 3-3.7**	3.7	8.0
	SNB 3-4	4.3	8.0
	SNB 3-5	5.3	8.0
	SNB 3-6	6.4	12.0
5.5	**SNBS 5-3.7**	3.7	7.2
	SNB 5-3.7	3.7	8.3
	SNBSS 5-4	4.3	7.2
	SNBS 5-4	4.3	8.3
	SNBL 5-4	4.3	9.0
	SNB 5-5	5.3	9.0
	SNBS 5-6	6.4	9.0
	SNBL 5-6	6.4	12.0
	SNB 5-8	8.4	14.0
8	**SNB 8-5**	5.3	10.5
	SNB 8-6	6.4	10.8
14	**SNB 14-6**	6.4	11.0
	SNB 14-8	8.4	13.8

(2 HOLES) RING TERMINALS
圓盤(2孔)端子




mm²	ITEM NO.	2*d2	A
60	**RNB60-10-2B**	11.0	32.0
	RNB60-12-2B	14.0	40.0
	RNB60-14-2B	16.0	40.0
70	**RNB70-10-2B**	11.0	32.0
	RNB70-12-2B	14.0	40.0
	RNB70-14-2B	16.0	40.0
80	**RNB80-10-2B**	11.0	32.0
	RNB80-12-2B	14.0	40.0
	RNB80-14-2B	16.0	40.0
100	**RNB100-10-2B**	11.0	32.0
	RNB100-12-2B	14.0	40.0
	RNB100-14-2B	16.0	40.0
150	**RNB150-12-2B**	14.0	40.0
	RNB150-14-2B	16.0	40.0
180	**RNB180-12-2B**	14.0	40.0
	RNB180-14-2B	16.0	40.0
200	**RNB200-12-2B**	14.0	40.0
	RNB200-14-2B	16.0	40.0
325	**RNB325-12-2B**	14.0	40.0
	RNB325-14-2B	16.0	40.0

PARALLEL & BUTT CONNECTORS
平行&中接管



ITEM NO.	L	ITEM NO.	L
PNT 0.5	5.0	**BNT 0.5**	12.0
PNT 1	8.0	**BNT 1**	15.0
		BNT 1-16	16.0
PNT 2	8.0	**BNT 2**	15.0
		BNT 2-16	16.0
PNT 3	8.5	**BNT 3**	15.0
PNT 5	8.5	**BNT 5**	15.0
		BNT 5-20	20.0
PNT 8	9.5	**BNT 8**	21.0
PNT 14	11.0	**BNT 14**	26.0
PNT 22	13.5	**BNT 22**	29.0
		BNT 22-58	58.0
PNT 38	16.5	**BNT 38**	32.0
		BNT 38-64	64.0
PNT 60	19.0	**BNT 60**	36.0
		BNT 60-72	72.0
PNT 70	19.0	**BNT 70**	37.0
PNT 80	19.5	**BNT 80**	38.0
		BNT 80-76	76.0
PNT 100	20.0	**BNT 100**	38.0
		BNT 100-76	76.0
PNT 150	27.0	**BNT 150**	54.0
		BNT 150-108	108.0
PNT 180	28.5	**BNT 180**	57.0
		BNT 180-114	114.0
PNT 200	32.0	**BNT 200**	63.0
		BNT 200-126	126.0
PNT 325	37.0	**BNT 325**	72.0


LOCKING SPADE TERMINALS
鎖式Y型端子



mm²	ITEM NO.	d2	W
1.25	**LSNB 1-3.7**	3.7	6.4
	LSNBS 1-4	4.3	7.2
	LSNBL 1-4	4.3	8.1
	LSNBS 1-5	5.3	8.1
	LSNBL 1-5	5.3	9.5
2	**LSNB 2-3.7**	3.7	6.0
	LSNB 2-4	4.3	7.2
	LSNBL 2-4	4.3	8.1
	LSNBS 2-5	5.3	8.1
	LSNBL 2-5	5.3	9.3
5.5	**LSNB 5-3.7**	3.7	8.3
	LSNB 5-4	4.3	8.3
	LSNB 5-5	5.3	9.0
	LSNB 5-6	6.4	12.0


TERMINALS

PIN TERMINALS
圓針型端子




mm²	ITEM NO.	D	L
1.25	**PTNB1-7**	1.9	11.8
	PTNB1-9	1.9	13.8
	PTNB1-10	1.9	14.8
	PTNB1-12	1.9	16.8
	PTNB1-13	1.9	17.8
	PTNB1-14	1.9	18.8
	PTNB1-16	1.9	20.8
2	**PTNB2-9**	1.9	13.8
	PTNB2-10	1.9	14.8
	PTNB2-12	1.9	16.8
	PTNB2-13	1.9	17.8
	PTNB2-16	1.9	21.0
5.5	**PTNB5-10**	2.8	17.0
	PTNB5-13	2.8	20.0
10	**PTNB10-12**	4.3	22.0
16	**PTNB16-13**	5.5	26.0
25	**PTNB25-15**	6.8	33.5
35	**PTNB35-20**	8.0	40.5
50	**PTNB50-20**	9.5	45.0
70	**PTNB70-25**	11.0	55.0
95	**PTNB95-25**	12.5	55.0

NON-INSULATED BLADE TERMINALS
平板型端子




mm²	ITEM NO.	D	L
0.5	**DBNB 0.5-8**	1.5	12.0
1.25	**DBNB 1-9**	2.8	13.8
	DBNB 1-10	2.3	14.8
	DBNB 1-11	3.0	15.8
	DBNB 1-13	3.0	17.8
	DBNB 1-14	3.0	18.8
	DBNB 1-18	2.2	22.8
	DBNBS 1-18	2.0	22.8
2	**DBNB 2-9**	2.8	13.8
	DBNB 2-10	2.4	14.8
	DBNB 2-13	2.4	17.8
	DBNBL 2-13	3.0	17.8
	DBNBLL2-13	4.5	18.0
	DBNBS 2-14	2.1	18.8
	DBNB 2-14	2.4	18.8
	DBNBL 2-14	3.0	18.8
	DBNBS 2-18	2.0	22.8
	DBNB 2-18	2.2	22.8
	DBNBL 2-18	2.8	22.8
5.5	**DBNB 5-10**	2.8	16.0
	DBNBS 5-14	4.0	20.0
	DBNB 5-14	4.5	20.0
	DBNBS 5-18	2.0	24.0
	DBNB 5-18	4.5	24.0

NON-INSULATED HOOK TERMINALS
鉤型斜口端子




mm²	ITEM NO.	d2	W
1.25	**HNB1-3.7**	3.7	8.0
	HNB1-4	4.3	8.0
	HNB1-5	5.3	8.0
	HNB1-6	6.4	11.6
2	**HNB2-3.7**	3.7	8.5
	HNB2-4	4.3	8.5
	HNB2-5	5.3	9.5
	HNB2-6	6.4	12.0
5.5	**HNB5-3.7**	3.7	7.2
	HNB5-4	4.3	9.5
	HNB5-5	5.3	9.5
	HNB5-6	6.4	12.0
	HNB5-8	8.4	15.0
8	**HNB2-3.7**	8.4	15.0

NON-INSULATED FLAG TERMINALS
旗型端子




mm²	ITEM NO.	d2	W
1.25	**FGNB1-5**	5.3	9.6
2	**FGNB2-5**	5.3	9.6
	FGNB2-6	6.4	9.6
5.5	**FGNB5-4**	4.3	9.6
	FGNB5-5	5.3	9.6
	FGNB5-6	6.4	9.6
8	**FGNB8-5**	5.3	12.7
	FGNB8-6	6.4	12.7
	FGNBL8-6	6.4	15.5
	FGNB8-8	8.4	15.5
	FGNB8-10	10.5	15.5
14	**FGNB14-6**	6.4	12.7
	FGNB14-8	8.4	16.0
22	**FGNB22-6**	6.4	14.0
	FGNB22-8	8.4	17.5
38	**FGNB38-6**	6.4	18.3
	FGNB38-8	8.4	18.3
	FGNB38-10	10.5	18.3
60	**FGNB60-6**	6.4	22.3
	FGNB60-8	8.4	22.3
	FGNB60-10	10.5	22.3
	FGNB60-12	13.0	22.3
70	**FGNB70-8**	8.4	23.9
	FGNB70-10	10.5	23.9
	FGNB70-12	13.0	23.9
80	**FGNB80-10**	10.5	27.0
	FGNB80-12	13.0	27.0
100	**FGNB100-8**	8.4	28.6
	FGNB100-10	10.5	28.6
	FGNB100-12	13.0	28.6

COPPER TUBULAR LUGS (TL SERIES)
銅管單孔壓接端子(TL)




mm²	ITEM NO.	d2	W
1.5	**TL1.5-5**	5.3	8.0
2	**TL2.5-4**	4.3	8.0
	TL2.5-5	5.3	8.0
	TL2.5-6	6.5	10.0
4	**TL4-4**	4.3	10.0
	TL4-5	5.3	10.0
	TL4-6	6.5	10.0
6	**TL6-4**	4.3	10.0
	TL6-5	5.3	10.0
	TL6-6	6.5	10.0
10	**TL10-6**	6.5	12.6
	TL10-8	8.4	12.6
16	**TL16-6**	6.5	12.6
	TL16-8	8.4	12.6
25	**TL25-6**	6.5	15.0
	TL25-8	8.4	15.0
	TL25-10	10.5	15.0
35	**TL35-6**	6.5	15.2
	TL35-8	8.4	15.2
	TL35-10	10.5	15.2
50	**TL50-8**	8.4	18.5
	TL50-10	10.5	18.5
	TL50-12	13.0	18.5
70	**TL70-8**	8.4	21.4
	TL70-10	10.5	21.4
	TL70-12	13.0	21.4
95	**TL95-10**	10.5	25.5
	TL95-12	13.0	25.5
120	**TL120-10**	10.5	28.3
	TL120-12	13.0	28.3
	TL120-14	15.0	28.3
	TL120-16	17.0	28.3
150	**TL150-12**	13.0	31.0
	TL150-14	15.0	31.0
	TL150-16	17.0	31.0
185	**TL185-12**	13.0	34.2
	TL185-14	15.0	34.2
	TL185-16	17.0	34.2
240	**TL240-14**	15.0	39.0
	TL240-16	17.0	39.0
	TL240-18	19.0	39.0
300	**TL300-14**	15.0	44.0
	TL300-16	17.0	44.0
	TL300-18	19.0	44.0
	TL300-20	21.0	44.0
	TL300-22	23.0	44.0
	TL300-24	25.0	44.0
400	**TL400-14**	15.0	51.0
	TL400-16	17.0	51.0
	TL400-18	19.0	51.0
	TL400-20	21.0	51.0
	TL400-22	23.0	51.0
	TL400-24	25.0	51.0
500	**TL500-14**	15.0	56.0
	TL500-16	17.0	56.0
	TL500-18	19.0	56.0
	TL500-20	21.0	56.0
	TL500-22	23.0	56.0
	TL500-24	25.0	56.0
630	**TL630-14**	15.0	63.0
	TL630-16	17.0	63.0
	TL630-18	19.0	63.0
	TL630-20	21.0	63.0
	TL630-22	23.0	63.0
	TL630-24	25.0	63.0

COPPER TUBULAR LUGS (TLK SERIES)
銅管單孔壓接端子(TLK)




mm²	ITEM NO.	d2	W
0.75	**TLK0.75-3**	3.2	6.0
	TLK0.75-4	4.3	6.5
	TLK0.75-5	5.3	7.5
1.5	**TLK1.5-3**	3.2	6.5
	TLK1.5-4	4.3	6.5
	TLK1.5-5	5.3	7.5
	TLK1.5-6	6.4	9.0
2.5	**TLK2.5-3**	3.2	7.5
	TLK2.5-4	4.3	7.5
	TLK2.5-5	5.3	8.5
	TLK2.5-6	6.4	9.5
	TLK2.5-8	8.4	13.0
4	**TLK4-4**	4.3	8.5
	TLK4-5	5.3	9.0
	TLK4-6	6.4	10.0
	TLK4-8	8.4	13.0
6	**TLK6-4**	4.3	10.0
	TLK6-5	5.5	10.0
	TLK6-6	6.5	12.0
	TLK6-8	8.4	15.0
	TLK6-10	10.5	17.0
	TLK6-12	13.0	19.0
10	**TLK10-4**	4.3	12.0
	TLK10-5	5.5	12.0
	TLK10-6	6.4	12.0
	TLK10-8	8.4	15.0
	TLK10-10	10.5	17.0
	TLK10-12	13.0	19.0
16	**TLK16-5**	5.5	12.0
	TLK16-6	6.4	12.0
	TLK16-8	8.4	15.0
	TLK16-10	10.5	17.0
	TLK16-12	13.0	19.0
25	**TLK25-5**	5.5	14.0
	TLK25-6	6.4	14.0
	TLK25-8	8.4	16.0
	TLK25-10	10.5	18.0
	TLK25-12	13.0	19.0
	TLK25-14	15.0	21.0
35	**TLK35-6**	6.4	17.0
	TLK35-8	8.4	17.0
	TLK35-10	10.5	19.0
	TLK35-12	13.0	21.0
	TLK35-14	15.0	21.0
	TLK35-16	17.0	26.0
50	**TLK50-6**	6.4	20.0
	TLK50-8	8.4	20.0
	TLK50-10	10.5	20.0
	TLK50-12	13.0	23.0
	TLK50-14	15.0	23.0
	TLK50-16	17.0	28.0
	TLK50-20	21.0	30.0
70	**TLK70-6**	6.4	23.0
	TLK70-8	8.4	23.0
	TLK70-10	10.5	23.0
	TLK70-12	13.0	23.0
	TLK70-14	15.0	23.0
	TLK70-16	17.0	28.0
	TLK70-20	21.0	30.0
95	**TLK95-6**	6.4	26.0
	TLK95-8	8.4	26.0
	TLK95-10	10.5	26.0
	TLK95-12	13.0	26.0
	TLK95-14	15.0	26.0
	TLK95-16	17.0	28.0
	TLK95-20	21.0	36.0
120	**TLK120-8**	8.4	28.0
	TLK120-10	10.5	28.0
	TLK120-12	13.0	28.0
	TLK120-14	15.0	28.0
	TLK120-16	17.0	30.0
	TLK120-20	21.0	36.0
150	**TLK150-8**	8.4	31.0
	TLK150-10	10.5	31.0
	TLK150-12	13.0	31.0
	TLK150-14	15.0	31.0
	TLK150-16	17.0	31.0
	TLK150-20	21.0	36.0
185	**TLK185-10**	10.5	35.0
	TLK185-12	13.0	35.0
	TLK185-14	15.0	35.0
	TLK185-16	17.0	35.0
	TLK185-20	21.0	39.0
240	**TLK240-10**	10.5	39.0
	TLK240-12	13.0	39.0
	TLK240-14	15.0	39.0
	TLK240-16	17.0	39.0
	TLK240-20	21.0	39.0
300	**TLK300-12**	13.0	43.0
	TLK300-14	15.0	43.0
	TLK300-16	17.0	43.0
	TLK300-20	21.0	43.0
400	**TLK400-12**	13.0	49.0
	TLK400-14	15.0	49.0
	TLK400-16	17.0	49.0
	TLK400-20	21.0	49.0

COPPER TUBULAR LUGS (TCL-2A SERIES)
高壓銅管雙孔壓接端子




mm²	ITEM NO.	2*d2	W
70	**TCL70-2A**	13.0	20.2
95	**TCL95-2A**	10.5	23.2
150	**TCL150-2A**	13.0	28.7
300	**TCL300-2A**	15.0	41.0

COPPER TUBULAR LUGS (TLD SERIES)
中高壓銅管單孔壓接端子




mm²	ITEM NO.	d2	W
6	**TLD5-6**	5.3	8.5
	TLD6-6	6.4	8.5
10	**TLD5-10**	5.3	9.0
	TLD6-10	6.4	9.0
16	**TLD6-16**	6.4	13.0
	TLD8-16	8.4	13.0
	TLD10-16	10.5	17.0
25	**TLD6-25**	6.4	14.0
	TLD8-25	8.4	16.0
	TLD10-25	10.5	17.0
	TLD12-25	13.0	19.0
35	**TLD8-35**	8.4	17.0
	TLD10-35	10.5	19.0
	TLD12-35	13.0	21.0
50	**TLD8-50**	8.4	20.0
	TLD10-50	10.5	22.0
	TLD12-50	13.0	24.0
	TLD16-50	17.0	28.0
70	**TLD8-70**	8.4	24.0
	TLD10-70	10.5	24.0
	TLD12-70	13.0	24.0
	TLD16-70	17.0	30.0
95	**TLD10-95**	10.5	28.0
	TLD12-95	13.0	28.0
	TLD16-95	17.0	32.0
120	**TLD10-120**	10.5	32.0
	TLD12-120	13.0	32.0
	TLD16-120	17.0	32.0
	TLD20-120	21.0	38.0
150	**TLD10-150**	10.5	34.0
	TLD12-150	13.0	34.0
	TLD16-150	17.0	34.0
	TLD20-150	21.0	40.0
185	**TLD10-185**	10.5	37.0
	TLD12-185	13.0	37.0
	TLD16-185	17.0	37.0
	TLD20-185	21.0	40.0
240	**TLD12-240**	13.0	42.0
	TLD16-240	17.0	42.0
	TLD20-240	21.0	45.0
300	**TLD16-300**	17.0	48.0
	TLD20-300	21.0	48.0
400	**TLD16-400**	17.0	55.0
	TLD20-400	21.0	55.0
500	**TLD20-500**	21.0	60.0
625	**TLD20-625**	21.0	60.0
800	**TLD20-800**	21.0	75.0
1000	**TLD20-1000**	21.0	85.0

COPPER TUBULAR LUGS (TLK-90D SERIES)
銅管90° 壓接端子




mm²	ITEM NO.	d2	W
6	**TLK6-5-90D**	5.5	10.0
	TLK6-6-90D	6.4	12.0
	TLK6-8-90D	8.4	14.0
	TLK6-10-90D	10.5	17.0
	TLK6-12-90D	13.0	19.0
10	**TLK10-5-90D**	5.5	12.0
	TLK10-6-90D	6.4	12.0
	TLK10-8-90D	8.4	15.0
	TLK10-10-90D	10.5	17.0
	TLK10-12-90D	13.0	19.0
16	**TLK16-5-90D**	5.5	12.0
	TLK16-6-90D	6.4	12.0
	TLK16-8-90D	8.4	15.0
	TLK16-10-90D	10.5	17.0
	TLK16-12-90D	13.0	19.0
25	**TLK25-5-90D**	5.5	14.0
	TLK25-6-90D	6.4	14.0
	TLK25-8-90D	8.4	16.0
	TLK25-10-90D	10.5	18.0
	TLK25-12-90D	13.0	19.0
	TLK25-14-90D	15.0	21.0
35	**TLK35-6-90D**	6.4	17.0
	TLK35-8-90D	8.4	17.0
	TLK35-10-90D	10.5	19.0
	TLK35-12-90D	13.0	21.0
	TLK35-14-90D	15.0	21.0
	TLK35-16-90D	17.0	26.0
50	**TLK50-6-90D**	6.4	20.0
	TLK50-8-90D	8.4	20.0
	TLK50-10-90D	10.5	20.0
	TLK50-12-90D	13.0	23.0
	TLK50-14-90D	15.0	23.0
	TLK50-16-90D	17.0	28.0
	TLK50-20-90D	21.0	30.0
70	**TLK70-6-90D**	6.4	23.0
	TLK70-8-90D	8.4	23.0
	TLK70-10-90D	10.5	23.0
	TLK70-12-90D	13.0	23.0
	TLK70-14-90D	15.0	23.0
	TLK70-16-90D	17.0	28.0
	TLK70-20-90D	21.0	30.0
95	**TLK95-8-90D**	8.4	26.0
	TLK95-10-90D	10.5	26.0
	TLK95-12-90D	13.0	26.0
	TLK95-14-90D	15.0	26.0
	TLK95-16-90D	17.0	28.0
	TLK95-20-90D	21.0	36.0
120	**TLK120-8-90D**	8.4	28.0
	TLK120-10-90D	10.5	28.0
	TLK120-12-90D	13.0	28.0
	TLK120-14-90D	15.0	28.0
	TLK120-16-90D	17.0	30.0
	TLK120-20-90D	21.0	36.0
150	**TLK150-8-90D**	8.4	31.0
	TLK150-10-90D	10.5	31.0
	TLK150-12-90D	13.0	31.0
	TLK150-14-90D	15.0	31.0
	TLK150-16-90D	17.0	31.0
	TLK150-20-90D	21.0	36.0
185	**TLK185-10-90D**	10.5	35.0
	TLK185-12-90D	13.0	35.0
	TLK185-14-90D	15.0	35.0
	TLK185-16-90D	17.0	35.0
	TLK185-20-90D	21.0	39.0
240	**TLK240-10-90D**	10.5	39.0
	TLK240-12-90D	13.0	39.0
	TLK240-14-90D	15.0	39.0
	TLK240-16-90D	17.0	39.0
	TLK240-20-90D	21.0	39.0
300	**TLK300-12-90D**	13.0	43.0
	TLK300-14-90D	15.0	43.0
	TLK300-16-90D	17.0	43.0
	TLK300-20-90D	21.0	43.0
400	**TLK400-12-90D**	13.0	49.0
	TLK400-14-90D	15.0	49.0
	TLK400-16-90D	17.0	49.0
	TLK400-20-90D	21.0	49.0

COPPER TUBULAR LUGS (TLKF SERIES)
銅管單孔易進壓接端子



mm²	ITEM NO.	d2	W
6	**TLKF6-5**	5.5	10.0
	TLKF6-6	6.4	12.0
	TLKF6-8	8.4	15.0
	TLKF6-10	10.5	17.0
	TLKF6-12	13.0	19.0
10	**TLKF10-5**	5.5	12.0
	TLKF10-6	6.4	12.0
	TLKF10-8	8.4	15.0
	TLKF10-10	10.5	17.0
	TLKF10-12	13.0	19.0
16	**TLKF16-5**	5.5	12.0
	TLKF16-6	6.4	12.0
	TLKF16-8	8.4	15.0
	TLKF16-10	10.5	17.0
	TLKF16-12	13.0	19.0
25	**TLKF25-5**	5.5	14.0
	TLKF25-6	6.4	14.0
	TLKF25-8	8.4	16.0
	TLKF25-10	10.5	18.0
	TLKF25-12	13.0	19.0
	TLKF25-14	15.0	21.0
35	**TLKF35-6**	6.5	17.0
	TLKF35-8	8.5	17.0
	TLKF35-10	10.5	19.0
	TLKF35-12	13.0	21.0
	TLKF35-14	15.0	21.0
	TLKF35-16	17.0	26.0
50	**TLKF50-6**	6.4	20.0
	TLKF50-8	8.4	20.0
	TLKF50-10	10.5	20.0
	TLKF50-12	13.0	23.0
	TLKF50-14	15.0	23.0
	TLKF50-16	17.0	28.0
	TLKF50-20	21.0	30.0
70	**TLKF70-6**	6.5	23.0
	TLKF70-8	8.4	23.0
	TLKF70-10	10.5	23.0
	TLKF70-12	13.0	23.0
	TLKF70-14	15.0	23.0
	TLKF70-16	17.0	28.0
	TLKF70-20	21.0	30.0
95	**TLKF95-8**	8.4	26.0
	TLKF95-10	10.5	26.0
	TLKF95-12	13.0	26.0
	TLKF95-14	15.0	26.0
	TLKF95-16	17.0	28.0
	TLKF95-20	21.0	36.0
120	**TLKF120-8**	8.4	28.0
	TLKF120-10	10.5	28.0
	TLKF120-12	13.0	28.0
	TLKF120-14	15.0	28.0
	TLKF120-16	17.0	30.0
	TLKF120-20	21.0	36.0
150	**TLKF150-8**	8.4	31.0
	TLKF150-10	10.5	31.0
	TLKF150-12	13.0	31.0
	TLKF150-14	15.0	31.0
	TLKF150-16	17.0	31.0
	TLKF150-20	21.0	36.0


COPPER TUBULAR LUGS (TCLH SERIES)
銅管雙孔壓接端子



mm²	ITEM NO.	2*d2	A
10	**TCLH10-2A5**	5.3	16.0
10	**TCLH10-2A6**	6.4	16.0
16	**TCLH16-2A4**	4.3	19.0
16	**TCLH16-2A5**	5.3	16.0
16	**TCLH16-2A6**	6.3	16.0
16	**TCLH16-2B6**	6.35	25.4
25	**TCLH25-2A6**	6.35	15.9
25	**TCLH25-2A6.5**	6.9	15.9
35	**TCLH35-2A6.5**	6.9	15.9
35	**TCLH35-2B6.5**	6.9	25.4
50	**TCLH50-2A6**	6.4	19.05
70	**TCLH70-2A6**	6.4	16.0
95	**TCLH95-2A6**	6.4	19.05


COPPER TUBULAR LUGS (TLAPH-2A SERIES)
銅管雙孔壓接端子(短管型)

孔距
PITCH TYPE:
A: 25.4
B: 40.0
C: 44.5



mm²	ITEM NO.	2*d2	A
38	**TLAPH38-2A8**	9.0	25.4
60	**TLAPH60-2A10**	11.0	25.4
80	**TLAPH80-2A10**	11.0	25.4
100	**TLAPH100-2A10**	11.0	25.4
125	**TLAPH125-2A10**	11.0	25.4
150	**TLAPH150-2A10**	11.0	25.4
180	**TLAPH180-2A12**	14.0	44.5
200	**TLAPH200-2A12**	14.0	44.5
250	**TLAPH250-2A12**	14.0	44.5
325	**TLAPH325-2A12**	14.0	44.5
400	**TLAPH400-2A12**	14.0	44.5
500	**TLAPH500-2A12**	14.0	44.5

TUBULAR LUGS (TCLH-2A-45D SERIES)
銅管雙孔45° 壓接端子



mm²	ITEM NO.	2*d2	A
25	**TCLH25-2A6-45D**	6.5	15.9

CRIMPING TOOLS

DELUXE RATCHET CRIMPING TOOL
壓接工具

KST2000D-1322

CRIMPING NON-INSULATED TERMINALS

1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2mm²)
3. 12-10 AWG (5.5mm²)
4. 8 AWG (8mm²)



KSTP-300


FOR CRIMPING CONNECTOR UP TO 400mm²
- 30mm JAW OPENING
- FIBERGLASS HANDLES



LY-2045C


CRIMPING COPPER LUGS & NON-INSULATED TERMINALS

1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2mm²)
3. 12-10 AWG (5.5mm²)
4. 8 AWG (8mm²)



KSTP-400


FOR CRIMPING CONNECTOR UP TO 400mm²
- 38mm JAW OPENING
- FIBERGLASS HANDLES



LY-2045D

CRIMPING COPPER LUGS & NON-INSULATED TERMINALS

1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2mm²)
3. 12-10 AWG (5.5mm²)
4. 8 AWG (8mm²)
5. 6 AWG (14mm²)



KST-HDC38B

HEAVY DUTY CRIMPING TOOL FOR COPPER TERMINALS, LUGSAND SPLICES DURABLE FOR:

INSULATED:
5.5 / 8 / 14 / 22mm²
(12-10 / 8 / 6 / 4 AWG)
NON-INSULATED:
8 / 14 / 22 / 38mm²
(8 / 6 / 4 / 2 AWG)



THX-185-HEAD(U) / (H)

FOR NON-INSULATED TERMINAL
10 TO 185mm²




THX-185-HEAD(U) WITH INDENT DIES



THX-185-HEAD(H) WITH HEXAGONAL DIES

CO-325A-HEAD

FOR NON-INSULATED TERMINAL
8 TO 325mm²




CTE-25AS

VOLTAGE 100V-200V / 50-60HZ
ACCESSORY: WITH 2M HOSE WHICH CAN BE INCREASED LENGTH.
- LOW PRESSURE 200 cuin/min @ 0-200 PSI
- HIGH PRESSURE 20 cuin/min @ 200-10000 PSI



CO-325B-HEAD

FOR NON-INSULATED TERMINAL
8 TO 325mm²




CO-400

HYDRAULIC CRIMPING TOOL FOR NON-INSULATED TERMINALS UP TO 400mm²



CO-400(H) WITH HEXAGONAL DIES



CO-400(U) WITH INDENT DIES

APPLICATION FIELD
應用範圍



- **Solar Energy**
  太陽光電系統



- **Wind Power**
  風力發電

- **Transformer**
  變壓器設備



- **Distribution Box**
  控制配電箱



- **Transmission**
  輸配電工程



- **Electric Motor**
  機電馬達

