

KST™

Future Connection

SOLDERLESS TERMINALS CONNECTORS

E96029 E128651 E214907 E96029 E128651 LR83574 E131576 E131576

SHINKWANG TRADE CO.

서울특별시 강남구 삼성동 159-1 한국종합무역센타 30층 3001호
TEL : 02-551-3026 / FAX : 02-551-3100, 3200
H.P : 010-3366-5847

http://shinkwangtrade.com
e-mail : sinkwang2000@naver.com

RING TERMINALS

AWG22-16 DIN0.5-1.5mm²					
STUD SIZE VINYL INS. NON-INS.	#4/3.2mm RV1-3.2 RNB1-3.2	#6/3.7mm RVS1-3.7 RNBS1-3.7	#6/3.7mm RVM1-3.7 RNBM1-3.7	#6/3.7mm RVL1-3.7 RNBL1-3.7	#8/4.3mm RVS1-4 RNBS1-4
AWG22-16 DIN0.5-1.5mm²					
STUD SIZE VINYL INS. NON-INS.	#8/4.3mm RVL1-4 RNBL1-4	#10/5.3mm RV1-5 RNB1-5	1/4"/6.4mm RV1-6 RNB1-6	5/16"/8.4mm RV1-8 RNB1-8	3/8"/10.5mm RV1-10 RNB1-10
AWG16-14 DIN1.5-2.5mm²					
STUD SIZE VINYL INS. NON-INS.	#4/3.2mm RV2-3.2 RNB2-3.2	#6/3.7mm RVS2-3.7 RNBS2-3.7	#6/3.7mm RVM2-3.7 RNBM2-3.7	#6/3.7mm RVL2-3.7 RNBL2-3.7	#8/4.3mm RVS2-4 RNBS2-4
AWG16-14 DIN1.5-2.5mm²					
STUD SIZE VINYL INS. NON-INS.	#8/4.3mm RVL2-4 RNBL2-4	#10/5.3mm RVS2-5 RNBS2-5	#10/5.3mm RVL2-5 RNBL2-5	1/4"/6.4mm RV2-6 RNB2-6	5/16"/8.4mm RV2-8 RNB2-8
AWG12-10 DIN2.5-6mm²					
STUD SIZE VINYL INS. NON-INS.	#6/3.7mm RV5-3.7 RNB5-3.7	#8/4.3mm RVS5-4 RNBS5-4	#8/4.3mm RVL5-4 RNBL5-4	#10/5.3mm RV5-5 RNB5-5	3/8"/10.5mm RV2-10 RNB2-10
AWG12-10 DIN2.5-6mm²					
STUD SIZE VINYL INS. NON-INS.	1/4"/6.4mm RV5-6 RNB5-6	5/16"/8.4mm RV5/8 RNB5/8	3/8"/10.5mm RV5-10 RNB5-10	1/2"/13.0mm RV5-12 RNB5-12	

SPADE TERMINALS

AWG22-16 DIN0.5-1.5mm²					
STUD SIZE VINYL INS. NON-INS.	#4/3.2mm SV1-3.2 SNB1-3.2	#6/3.7mm SVS1-3.7 SNBS1-3.7	#6/3.7mm SVL1-3.7 SNBL1-3.7	#8/4.3mm SVS1-4 SNBS1-4	#8/4.3mm SVM1-4 SNBM1-4
AWG22-16 DIN0.5-1.5mm²					
STUD SIZE VINYL INS. NON-INS.	#8/4.3mm SVL1-4 SNBL1-4	#10/5.3mm SVS1-5 SNBS1-5	#10/5.3mm SVL1-5 SNBL1-5	1/4"/6.4mm SVS1-6 SNBS1-6	1/4"/6.4mm SVL1-6 SNBL1-6
AWG16-14 DIN1.5-2.5mm²					
STUD SIZE VINYL INS. NON-INS.	#4/3.2mm SV2-3.2 SNB2-3.2	#6/3.7mm SVS2-3.7 SNBS2-3.7	#6/3.7mm SVL2-3.7 SNBL2-3.7	#8/4.3mm SVS2-4 SNBS2-4	#8/4.3mm SVM2-4 SNBM2-4
AWG16-14 DIN1.5-2.5mm²					
STUD SIZE VINYL INS. NON-INS.	#8/4.3mm SVL2-4 SNBL2-4	#10/5.3mm SVS2-5 SNBS2-5	#10/5.3mm SVL2-5 SNBL2-5	1/4"/6.4mm SVS2-6 SNBS2-6	1/4"/6.4mm SVL2-6 SNBL2-6	5/16"/8.4mm SV5-8 SNB5-8
AWG12-10 DIN2.5-6mm²						
STUD SIZE VINYL INS. NON-INS.	#6/3.7mm SV5-3.7 SNB5-3.7	#8/4.3mm SVS5-4 SNBS5-4	#8/4.3mm SVL5-4 SNBL5-4	#10/5.3mm SV5-5 SNB5-5	1/4"/6.4mm SVS5-6 SNBS5-6	1/4"/6.4mm SVL5-6 SNBL5-6

KST™
Future Connection

EXAMPLE: R / (1) V / (2) S / (3) 1 / (4) -3.7 / (5)

(1) R-TERMINAL TYPE
(2) V-BARREL TYPE INSULATION MATERIAL
(3) S-WIDTH SIZE
(4) 1-WIRE RANGE
(5) 3.7-STUD SIZE (mm)

EXAMPLE: RN1-3.2, RNB1-3.2, RV1-3.2, RNI1-3.2, RD1-3.2, RNYD1-3.2, ...etc.

NYLON TERMINALS

AWG26-22 DIN 0.1-0.5mm²						
STUD SIZE NYLON INS. NON-INS.	2mm DRNY2-0.5 DRNB2-0.5	2.5mm DRNY2.5-0.5 DRNB2.5-0.5	3mm DRNY3-0.5 DRNB3-0.5	3.5mm DRNY3.5-0.5 DRNB3.5-0.5	4mm DRNY4-0.5 DRNB4-0.5	5mm DRNY5-0.5 DRNB5-0.5
AWG26-22 DIN 0.1-0.5mm²						
STUD SIZE NYLON INS. NON-INS.	2mm DSNY2-0.5 DSNB2-0.5		3mm DSNY3-0.5 DSNB3-0.5	3.5mm DSNY3.5-0.5 DSNB3.5-0.5	4mm DSNY4-0.5 DSNB4-0.5	5mm DSNY5-0.5 DSNB5-0.5
AWG26-22 DIN 0.1-0.5mm²						
	PNYT0.5	BNYT0.5		PTNY0.5-9	FDD0.5-110(5)	FDD0.5-110(8)

MALE & FEMALE DISCONNECTS

FEMALE						
NEMA TAB inch/mm SINGLE CRIMP DOUBLE CRIMP	.110x.020/.032 2.8x0.5/0.8 FDV1-110(5)/(8) FDD1-110(5)/(8)	.187x.020/.032 4.75x0.5/0.8 FDV1-187(5)/(8) FDD1-187(5)/(8)	.205x.020 5.2x0.5 FDV1-205 FDD1-205	.250x.032 6.35x0.8 FDV1-250 FDD1-250	.250x.032 6.35x0.8 FDV5-250 FDD5-250	.375x.048 9.4x1.2 FDV5-375 FDD5-375
FEMALE						
NEMA TAB inch/mm SINGLE CRIMP DOUBLE CRIMP	.110x.020/.032 2.8x0.5/0.8 FDV2-110(5)/(8) FDD2-110(5)/(8)	.187x.020/.032 4.75x0.5/0.8 FDV2-187(5)/(8) FDD2-187(5)/(8)	.205x.020 5.2x0.5 FDV2-205 FDD2-205	.250x.032 6.35x0.8 FDV2-250 FDD2-250	.312x.032 8.0x0.8 FDV2-312 FDD2-312	.375x.048 9.4x1.2 FDV2-375 FDD2-375
MALE						
NEMA TAB inch/mm SINGLE CRIMP DOUBLE CRIMP	.110x.020/.032 2.8x0.5/0.8 MDV1-110(5)/(8) MDD1-110(5)/(8)	.187x.020/.032 4.75x0.5/0.8 MDV1-187(5)/(8) MDD1-187(5)/(8)	.250x.032 6.35x0.8 MDV1-250 MDD1-250	.187x.020/.032 4.75x0.5/0.8 MDV2-187(5)/(8) MDD2-187(5)/(8)	.250x.032 6.35x0.8 MDV2-250 MDD2-250	.250x.032 6.35x0.8 MDV5-250 MDD5-250
FULLY INSULATED FEMALE						
NEMA TAB inch/mm SINGLE CRIMP DOUBLE CRIMP	.187x.020/.032 4.75x0.5/0.8 FDFV1-187(5)/(8) FDFD1-187(5)/(8)	.250x.032 6.35x0.8 FDFV1-250 FDFD1-250	.187x.020/.032 4.75x0.5/0.8 FDFV2-187(5)/(8) FDFD2-187(5)/(8)	.250x.032 6.35x0.8 FDFV2-250 FDFD2-250	.250x.032 6.35x0.8 FDFV5-250 FDFD5-250	.375x.048 9.4x1.2 FDFD5-375

BULLET & RECEPTACLE CONNECTORS

BULLET					**PIGGY BACK DISCONNECTS**
Ø SIZE SINGLE CRIMP DOUBLE CRIMP	.156/4mm MPV1-156 MPD1-156	.156/4mm MPV2-156 MPD2-156	.195/5mm MPV2-195 MPD2-195	.195/5mm MPV5-195 MPD5-195	
RECEPTACLE					
Ø SIZE SINGLE CRIMP DOUBLE CRIMP	.156/4mm FRV1-156 FRD1-156	.156/4mm FRV2-156 FRD2-156	.195/5mm FRV2-195 FRD2-195	.195/5mm FRV5-195 FRD5-195	.250x.032/6.35x0.8 PBDV1-250 PBDD1-250
FULLY NYLON INSULATED BULLET					
Ø SIZE SINGLE CRIMP DOUBLE CRIMP	.156/4mm MPFNY1-156	.156/4mm MPFNY2-156	.156/4mm MPFNYD1-156	.156/4mm MPFNYD2-156	.250x.032/6.35x0.8 PBDV2-250 PBDD2-250
FULLY NYLON INSULATED RECEPTACLE					
Ø SIZE SINGLE CRIMP DOUBLE CRIMP	.156/4mm FRFNY1-156	.156/4mm FRFNY2-156	.156/4mm FRFNYD1-156	.156/4mm FRFNYD2-156	.250x.032/6.35x0.8 PBDV5-250 PBDD5-250

STUD SIZE: mm - inch mm - inch
3.2 - #4 6.4 - 1/4"
3.7 - #6 8.4 - 5/16"
4.3 - #8 10.5 - 3/8"
5.3 - #10 13.0 - 1/2"

INSULATED COLOR & WIRE RANGE:
YELLOW: 0.5mm² =AWG26-22=DIN 0.1-0.5mm²
RED: 1.25mm² =AWG22-16=DIN 0.5-1.5mm²
BLUE: 2mm² =AWG16-14=DIN 1.5-2.5mm²
YELLOW: 5.5mm² =AWG12-10=DIN 2.5-6mm²

*** WITH PVC / NYLON / PC / HEAT SHRINKABLE TUBE INSULATION. NORMAL ENTRY, EASY ENTRY, SINGLE CRIMP, DOUBLE CRIMP. * TIN / SILVER / GOLD PLATING ALL AVAILABLE.**

FULLY NYLON INSULATED FEMALE DISCONNECTS .250x.032/6.35x0.8



FDFN1-250 FDFN2-250 FDFN5-250 FDFNY1-250 FDFNY2-250 FDFNY5-250

FULLY NYLON INSULATED MALE DISCONNECTS .250x.032/6.35x0.8



MDFN1-250 MDFN2-250 MDFN5-250 MDFNY1-250 MDFNY2-250 MDFNY5-250

VINYL INS. PARALLEL CONNECTORS



PVT1 PVT2 PVT5

VINYL INS. BUTT CONNECTORS



BVS1 BVS2 BVS5

NYLON INS. STRAIGHT BUTT CONNECTORS



BNY1 BNY2 BNY5

NYLON INS. FLARED BUTT CONNECTORS



BNYF1 BNYF2 BNYF5

WINDOW BUTT CONNECTOR WITH EASY ENTRY TUBULAR



WBNY1 WBNY2 WBNY5

PC INS. FLARED BUTT CONNECTORS



BNIF1 BNIF2 BNIF5

HEAT SHRINKABLE BUTT CONNECTORS WITH TUBULAR & WATER PROOF



BHT1 BHT2 BHT5

WIRE CAP TWIST ON WIRE JOINTS



S1-RED M1-IVORY L1-YELLOW

WIRE CAP TWIST ON WIRE JOINT WITH RAPERED SPRING INSERT



WN1-GREY WN2-BLUE WN3-ORANGE WN6-RED

CLOSE END CONNECTORS



CE1 CE2 CE5 CE8

CLOSE END CONNECTORS (FLAT HEAD)



PB1 PB2 PB5 PB8

STRIPPING QUICK SPLICE



878100



878101



878201



878107



878109



878104

BARREL TYPE: N TYPE: NON-INSULATED BUTTED SEAM TERMINAL
NB TYPE: NON-INSULATED BRAZED SEAM TERMINAL
V TYPE: VINYL INSULATED SINGLE CRIMP TERMINAL
NY TYPE: NYLON INSULATED SINGLE CRIMP TERMINAL
NI TYPE: PC INSULATED
D TYPE: VINYL INSULATED DOUBLE CRIMP TERMINAL
NYD TYPE: NYLON INSULATED DOUBLE CRIMP TERMINAL

TERMINAL TYPE: R : RING TERMINAL
S : SPADE TERMINAL
LS : LOCKING SPADE TERMINAL
FS : FLANGE SPADE TERMINAL
H : HOOK TERMINAL
P : PIN TERMINAL
LB : LIPPED BLADE TERMINAL
DB : BLADE TERMINAL
E : CORD END TERMINAL

LIPPED BLADE TERMINALS



LBV1-3 | LBV2-3 | LBV5-3



LBV1-4.6 | LBV2-4.6 | LBV5-4.6

FLANGED SPADE TERMINALS



FSV1-3.7 | FSV1-4 | FSV1-5



FSV2-3.7 | FSV2-4 | FSV2-5



FSV5-3.7 | FSV5-4 | FSV5-5

HOOK TERMINALS



HV1-3.7 | HV1-4 | HV1-5



HV2-3.7 | HV2-4 | HV2-5



HV5-3.7 | HV5-4 | HV5-5

PIN TERMINALS



PTV1-10 | PTV1-12 | PTV1-13



PTV2-10 | PTV2-12 | PTV2-13



PTV5-13

BLADE TERMINALS



2.3x10 DBV1-10 | 3.0x14 DBV1-14 | 2.3x18 DBV1-18



2.3x10 DBV2-10 | 2.4x13 DBV2-13 | 2.3x18 DBV2-18



2.8x10 DBV5-10 | 4.5x14 DBV5-14

LOCKING SPADE TERMINAL



LSV1-3.7 | LSVS1-4 | LSVS1-5



LSV2-3.7 | LSV2-4 | LSVS2-5



LSV5-4 | LSV5-5

FLAG DISCONNECTS



FLDNY1-250 | FLDNY2-250

2 WAY BULLET RECEPTACLE



DWBR156 (∅ =.156/4mm)

3 WAY DISCONNECTS

4 WAY DISCONNECTS



3WCV1



4WCV1



3WCV2



4WCV2



3WCV5



4WCV5

IGNITION TERMINALS



IT1 | IT2 | IT3

TERMINAL TYPE:
- MDF : FULL INSULATED MALE DISCONNECT
- FDF : FULL INSULATED FEMALE DISCONNECT
- FD : FEMALE DISCONNECT
- MD : MALE DISCONNET
- PBD : PIGGY BACK DISCONNECT
- FR : RECEPTACLE DISCONNECT
- MP : BULLET DISCONNECT
- FLD : FLAG FEMALE DISCONNECT
- 3WC: 3-WAY CONNECTOR
- 4WC: 4-WAY CONNECTOR

- PNT : NON-INSULATED SEAMLESS TUBE PARALLEL CONNECTOR
- BNT : NON-INSULATED SEAMLESS TUBE BUTT CONNECTOR
- BVS : VINYL INSULATED BUTT SEAM BRASS CONNECTOR
- BV : VINYL INSULATED BUTT SEAM COPPER CONNECTOR
- PVT : VINYL INSULATED SEAMLESS TUBE PARALLEL CONNECTOR
- BNY : NYLON INSULATED BUTT SEAM CONNECTOR
- WBNY: NYLON INSULATED WINDOW BUTT WITH EASY ENTRY TUBULAR SLEEVE CONNECTOR
- BHT : HEAT SHRINKABLE SEAMLESS TUBE BUTT CONNECTOR



CORD END TERMINALS

ITEM NO.	WIRE mm²	F	C	D	FRENCH COLOR	GERMAN COLOR	DIN COLOR
E0206 E0208	0.25	6 8	0.8	1.1	VIOLET	LIGHT BLUE	
E0306 E0308	0.34	6 8	0.8	1.1	PINK	TURQUOISE	
E0506 E0508	0.5	6 8	1.0	1.3	WHITE	ORANGE	WHITE
E7506 E7508 E7512	0.75	6 8 12	1.2	1.5	BLUE	WHITE	GREY
E1006 E1008 E1012	1.0	6 8 12	1.4	1.7	RED	YELLOW	RED
E1508 E1510 E1518	1.5	8 10 18	1.7	2.0	BLACK	RED	BLACK
E2508 E2512 E2518	2.5	8 12 18	2.3	2.6	GREY	BLUE	BLUE
E4009 E4012 E4018	4.0	9 12 18	2.8	3.2	ORANGE	GREY	GREY
E6012 E6018	6.0	12 18	3.5	3.9	GREEN	BLACK	YELLOW
E10-12 E10-18	10	12 18	4.5	4.9	BROWN	IVORY	RED
E16-12 E16-18	16	12 18	5.8	6.2	IVORY	GREEN	BLUE
E25-16 E25-22	25	16 22	7.5	7.9	BLACK	BROWN	YELLOW
E35-16 E35-25	35	16 25	8.3	8.7	RED	BEIGE	RED
E50-20 E50-25	50	20 25	10.3	10.9	BLUE	OLIVE	BLUE
E70-20	70	20	13.5	14.3	YELLOW	YELLOW	YELLOW

E95-25

E120-27

E150-32



E95-25
RED
L=25
C=14.5
D=15.3



E120-27
BLUE
L=27
C=16.5
D=17.5



E150-32
YELLOW
L=32
C=19.5
D=20.5

NON-INS. CORD END TERMINAL



TWIN CORD END TERMINALS



ITEM NO.	COLOR	F	D	C	D2	D3
TE0508	WHITE	8	1.8	1.5	3.6	5.6
TE7508 TE7510	GREY	8 10	2.1	1.8	3.5	6.2
TE1008 TE1010	RED	8 10	2.3	2.0	4.0	6.0
TE1508 TE1512	BLACK	8 13	2.6	2.3	4.2	7.2
TE2510 TE2513	BLUE	10 13	3.3	2.9	5.0	8.5
TE4012	GREY	12	4.2	3.8	5.7	9.2
TE6014	YELLOW	14	5.3	4.9	6.8	10.5
TE10-14	RED	14	6.9	6.5	8.0	13.0
TE16-14	BLUE	14	8.7	8.3	10.5	19.3

VINYL SLEEVE



OPEN BARREL TERMINALS



ASSORTMENT KITS & TOOLS

http://shinkwangtrade.com



TWK SERIES
TWK-208 AUTO ELECTRICAL REPAIR KIT



TK21 SERIES
401PCS, 500PCS, 1000PCS
TERMINALS KIT
IN STEEL BOX, WITH
PROFESSIONAL CRIMPER



HANG TYPE PLASTIC BOX
25, 50, 100PCS PER BOX



K18-176
175PCS TERMINAL
WITH CRIMPER



K19-201
200PCS TERMINALS
WITH PROFESSIONAL
CRIMPER



K23 SERIES
K23-321 WITH CRIMPER



HRI-126J
CRIMPING INSULATED TERMINALS
1: RED 22-16 AWG (1.25mm²)
2. BLUE 16-14 AWG (2mm²)
3. YELLOW 12-10AWG (5.5mm²)



LY-2026(1305)
CRIMPING INSULATED TERMINALS
1: 22-18 AWG (1.25mm²)
2. 16-14 AWG (2mm²)
3. 12-10 AWG (5.5mm²)



LY-2026(1306)
CRIMPING OPEN BARREL TERMINALS
1: RED 22-16 AWG (1.25mm²)
2. BLUE 16-14 AWG (2mm²)
3. YELLOW 12-10 AWG (5.5mm²)



LY-2026(1307)
CRIMPING CORD END TERMINALS
1: 0.5-0.75mm² 2: 1.0mm² 3: 1.5mm²
4: 2.5mm² 5: 4.0mm² 6: 6.0mm²



LY-2026(1322)
CRIMPING NON-INSULATED TERMINALS
1: 22-16 AWG (1.25mm²)
2. 16-14 AWG (2mm²)
3. 12-10 AWG (5.5mm²)
4. 8 AWG (8mm²)



TRAY CARD KIT
60 PCS TERMINALS KIT
TCK-60 60PCS



BLISTER CARD



K8 SERIES
150PCS TERMINALS KIT
100PCS TERMINALS KIT



K12 SERIES
144PCS TERMINALS KIT



K18 SERIES
200PCS TERMINALS KIT
175PCS TERMINALS KIT
150PCS TERMINALS KIT



DUBLE BLISTER CARD

SHINKWANG TRADE CO.
서울특별시 강남구 삼성동 159-1 한국종합무역센타 30층 3001호
E-MAIL : sinkwang2000@naver.com
TEL : 02-551-3026 / FAX : 02-551-3100, 3200
H.P : 010-3366-5847

B001A2-EN-1405